

**Indian Institute of Information Technology,
Design and Manufacturing, Kurnool
Jagannathagattu, Dinnidevarapadu, Kurnool.**

(An Institute of National Importance Funded By Ministry of Education, Government of India).



Tender Document for

Supply and Installation of Equipments for Institute Fitness Centre

At

Indian Institute of Information Technology, Design and Manufacturing, Kurnool
Jagannathagattu, Dinnidevarapadu-518007, Andhra Pradesh

Tender No: IIITDMK/S&P/2020-21/Sept./INSTITUTE FITNESS CENTRE/01

Telephone: 08518-289115

Website: <http://iiitk.ac.in/home>

DISCLAIMER

1. The information contained in this Tender document or subsequently provided to Tenderers, whether in document or verbal or any other form by or on behalf of Indian Institute of Information Technology Design and Manufacturing, Kurnool (IIITDMK) by any of its employees or advisors, is provided to Tenderers on the terms and conditions set out in this Tender document and such other terms and conditions subject to which such information is provided.

2. The purpose of this Tender document is to provide interested parties with information that may be useful to them in eliciting their proposals pursuant to this Tender document. This Tender document may not be appropriate for all persons, and it is not possible for the Institute, its employees or advisors to consider the investment objectives, financial situation and particular needs of each party who reads or uses this Tender document.

3. This Tender document includes statements, which reflect various assumptions and assessments made by the Institute in relation to the Contract. Such assumptions, assessments and statements do not purport to contain all the information that each Tenderer may require.

4. The assumptions, assessments, statements and information contained in this Tender document, may not be complete, accurate, adequate or correct. Each Tenderer should, therefore, conduct his/her own investigations and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments, statements and information contained in this Tender document and obtain independent advice from appropriate sources.

5. Information provided in this document to the Tenderer(s) is on a wide range of matters, some of which depend upon interpretation of law. The information given is not an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Institute accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

6. The Institute, its employees and advisors make no representation or warranty and shall have no liability to any person, including any Applicant or Tenderer under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Tender document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Tender document and any assessment, assumption, statement or information contained therein or deemed to form part of this Tender document or arising in any way in this Tender Stage.

Sd/-

Registrar In-charge

NOTICE INVITING TENDER

Tender No: IIITDMK/S&P/2020-21/Sept./INSTITUTE FITNESS CENTRE/01

Date: 21.09.2020

- Box Tenders/Open Tenders are hereby invited from reputed Registered Firms /Agencies/Contractors/Suppliers for providing the following services at IIITDM KURNOOL, Kurnool, Andhra Pradesh.
- "Contract for Supply and Installation of Equipments for Institute Fitness Centre at IIITDM KURNOOL, Kurnool, Andhra Pradesh."
- Tender schedules can be downloaded from IIITDM KURNOOL website from 23.09.2020 onwards. Bidders need to submit hard copy with relevant documents duly attested by Gazette Officer.

The last date for submission of tenders is 11.00 AM on **12.10.2020**.

The tenders can either be dropped in the Tender Box in the Administrative Building of the Institute or sent by Speed Post/Courier.

The Institute will not take any responsibility for postal delays.

For further details regarding Tender notification & specifications, please visit www.iiitk.ac.in.

Date: **21.09.2020**

IIITDM KURNOOL

INVITATION FOR BID (IFB)

| | | |
|--------------------------|----------|--|
| Tender Enquiry No | : | IIITDMK/S&P/2020-21/ Sept./Institute Fitness Centre/01 Dated. 21st September 2020 |
|--------------------------|----------|--|

Sealed tenders are invited, under two bid system i.e. Technical bid and Financial bid, for **Supply and Installation of Equipments for Institute Fitness Centre at Indian Institute of Information Technology, Design and Manufacturing, Kurnool**, from reputed & registered agencies/companies/firms. Tender documents can be downloaded from the CPP Portal <https://eprocure.gov.in/epublish/app> or Institute website <http://iiitk.ac.in/home>. Bidders shall ensure that their bids, complete in all respects should be submitted before the closing date and time as indicated in the critical date sheet given below.

There are no tender fees.

The bidders are requested to read the tender document carefully and ensure compliance with all specifications/instructions. Non-compliance with specifications/instructions may disqualify the bidders for the tender process. Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

| | |
|---|-------------------------------|
| Scope of Work | Amount of EMD in Rs. 1,35,000 |
| Supply and Installation of Equipments for Institute Fitness Centre at IIITDM Kurnool | |

CRITICAL DATE SHEET

| | |
|---|------------|
| Date of Publication of the Tender Document | 21.09.2020 |
| Starting Date of Downloading of Tender Document | 23.09.2020 |
| Pre Bid Meeting and site Visit | 30.09.2020 |
| Starting Date of Bid Submission | 01.10.2020 |
| Ending Date of Bid Submission | 12.10.2020 |
| Opening Date of Technical Bid | 13.10.2020 |

In wake of Covid-19, only one person per company is allowed for Site Visit/ Pre Bid-meeting

Sd/-

Registrar I/c

Important :

All communications are to be addressed to the Registrar I/c, IIITDM Kurnool, only and not in the name of any other officer and mails are to be sent to official purchase email id purchase@iiitk.ac.in

Terms and Conditions

The Bidders are requested to submit bids in two bid system.

Two bid system: The two bids, Technical bid and financial bid, should be submitted with all required documents in separate sealed envelopes.

**Envelope-I : This Envelope shall contain the duly signed and stamped tender documents
This envelope shall be sealed and super scribed as “Technical Bid”**

Envelope-II : This Envelope shall contain the financial bid (Annexure-III).

This envelope shall be sealed and superscribed as “Financial Bid”

The above two sealed envelopes along with covering letter, and EMD should be put in a bigger envelope and sealed. This envelope shall be superscribed as “Supply and Installation of Equipments for Institute Fitness Centre at IIITDM Kurnool”, and submitted to The Registrar, Indian Institute of Information Technology, Design and Manufacturing, Kurnool, Jagannathagattu, Dinnidevarapadu Village, Kurnool-518007, **on or before 12-Oct-2020 (05.00 PM). No Request for extension of due date will be entertained.**

The bidder has to accept all the terms and conditions of the Institute and conditional offers will not be accepted.

Tenders which are submitted without following the two bid system will summarily be rejected.

Earnest Money Deposit (EMD):

EMD for Rs.1,35,000/- (Rupees One Lakh Thirty-Five Thousand only) in the form of Demand Draft/ Bankers Cheque /Bank guarantee, drawn, in favor of “**The Director, IIITDM Kurnool**” payable at **Kurnool**. (The EMD without interest shall be returned to the unsuccessful bidders after finalization of the tender).

The firms registered and having valid NSIC / MSME Certificate are exempt from submission of EMD.

Envelope No-1: Technical Bid

The technical specifications for the equipment to be supplied are given in the Annexure I.

The bidder/OEM should have supplied Fitness items/Sports related items in the last five years (01 September 2015 to 31st August 2020 or after) and should provide Purchase Orders/Invoices of those as documentary evidence. Further, the bidder must provide a certificate of satisfactory performance from the organization to which they have recently supplied. Contact details of the faculty/person-in-charge of the installed setup must also be provided.

The bidder / OEM must preferably have a service center and a registered office at a nearby place, preferably, Kurnool. Certificates of registration for the centers and registered offices are be provided. Details about scope of service activities provided by the service centers must be provided

Bids should have a validity of **90 days**.

The technical offer **should not contain any price information**.

The Following Documents are to be attached: -

1. Certificate of Incorporation/ Registration Certificate of the firm / Company/Agency. The firms registered under sole proprietorship need not submit the same, but need to provide valid proof along with GST certificate.
2. Income Tax returns filed for the last three financial years 2017-18, 2018- 19, 2019-20.
3. PAN No.
4. GST Registration certificate
5. Bidder/Agent who quotes for items manufactured by the other manufacturer shall furnish scanned copy of Manufacturer's Authorization Form as per Annexure-II
6. The tenders not meeting the eligibility criteria will be summarily rejected. Hence, the tenderers are advised to attach relevant documents in support of their eligibility.
7. The OEM certificate or the valid authorization letter from the OEM for sale & support of the product quoted.

Envelope No-2: Financial Bid

This should contain only the price information along with commercial terms and conditions.

Financial offer should be submitted as per the format (Annexure-III)

The bidder shall state the basic price inclusive of all levies, transportation, delivery, GST, installation & all other charges. The basic unit price needs to be indicated individually against the items, the bidder proposed to supply. It is the responsibility of Bidder to go through the Bidding Document to ensure furnishing of all required documents in addition to above, if any. No condition shall be attached to the Financial Bid. Such a bid shall be summarily rejected. **The price quoted shall be for supply, delivery and Installation at specified room of IIITDM Kurnool, Kurnool, Andhra Pradesh.**

Opening of Technical Bids

The technical bids will be opened on the scheduled date in the presence of the bidders or their authorized representatives who choose to attend the technical bid opening. In case the specified date of bid opening falls on or is subsequently declared a holiday or closed day for the Institute, the Bids will be opened at the appointed time and place on the next working day.

Authorized representatives of the Bidders, who have submitted Bids on time may attend the Bid opening provided they bring with them letters of authority from the corresponding Bidders acknowledgement letter of bid submission.

Scrutiny of Bids

The Institute will examine the bids to determine whether they are complete, whether the documents have been properly signed, stamped and whether the Technical Bids are generally in order.

Prior to the evaluation of Financial Bids, the Institute will determine the substantial responsiveness of each Bid to the Bidding Document. For purposes of these clauses, a substantially responsive Bid is one, which conforms to all the terms and conditions of the bid document. If a Bid is not substantially responsive, it will be summarily rejected.

Technical Evaluation

- i) All the technical aspects of the bids received will be evaluated for suitability and specification and, if required, the Institute may seek additional clarification from the bidders.
- ii) The technical recommendation shall be final and binding on all the parties.

Opening of Financial Bids

- i) The financial bids of only those bidders, who are technically qualified in the technical evaluation, will be opened in the presence of the technically qualified bidders or their authorized representative, who choose to attend the financial bid opening.
- ii) The technically qualified bidders will be intimated about the date of opening of financial bid, by email or telephone.

Delivery Period / Timelines

The deliveries and installation must be completed **within 02 weeks** from the date of purchase order. The time is the essence of the contract. It is mandatory for the bidders who respond to this bid to meet this condition.

Locations for the supply / services

The bidders may note that the items covered by this document are required to be supplied and installed at

**IIITDM Kurnool,
Jagannathagattu,
Dinnidevarapadu village,
Kurnool
Kurnool District
Andhra Pradesh-518007.**

Installation

- i) Bidder shall be responsible for installation as applicable and for after sales service during the warranty and thereafter.
- ii) Installation to be arranged by the supplier free of cost and the same is to be done within 14 days of the arrival of the item at site.

Warranty / Support

- i) The items supplied shall carry a minimum of **two-year** warranty from the date of acceptance of item.
- ii) The defects, if any, during the guarantee / warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, GST and other taxes, if any and should be borne by the vendor.
- iii) The contractor should arrange for technical support during warranty period within 24 Hours of lodging of complaint.

Indemnity

The vendor shall indemnify, protect and save IIITDM Kurnool against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law

pertaining to patent, trademarks, copyrights etc., or such other statutory infringements in respect of all the items supplied by them.

Freight and Insurance

The items to be supplied will be insured by the vendor at his own cost against all risks of loss or damage from the date of shipment till such time it is delivered at IIITDM Kurnool, Kurnool, Andhra Pradesh.

Bid Validity

The Bid shall remain valid for acceptance for a period of 90 days after the date of Bid opening prescribed in the Bidding Document. Any Bid valid for a shorter period shall be treated as unresponsive and rejected. Bid Security of a Bidder will be forfeited, if the Bidder withdraws or amends its Bid or impairs or derogates from the Bid in any respect within the period of validity of its Bid without prejudice to other rights of the IIITDM Kurnool. The successful Bidder's Bid Security will be forfeited without prejudice to other rights of IIITDM Kurnool if it fails to furnish the required performance security within the specified period.

In exceptional cases, the Bidders may be requested by the Institute to extend the validity of their Bids up to a specified period. The Bidders, who agree to extend the Bid validity, are to extend the same without any change or modification of their original Bid and they are also to extend the validity period of the Bid Security accordingly.

In case the day up to which the Bids are to remain valid falls on or subsequently declared a holiday or closed day for IIITDM Kurnool, the Bid validity shall automatically be extended up to the next working day.

Payment

100% payment after delivery, installation and acceptance by IIITDM, on submission of Bank Guarantee/Demand Draft addressed to "Director, IIITDM Kurnool" for an equivalent value of 10% of PO value valid till warranty period plus 2 months.

The bidders may note that **other modes of payment like advance payment and payment against delivery is not considered.**

Penalty for delayed services / Liquidated Damages

- i) As time is the essence of the contract, delivery period mentioned in the purchase order should be strictly adhered to. Otherwise the Liquidated Damage (LD) clause will be applied / enforced.
- ii) If the supplier fails to supply and fix the item as per specifications mentioned in the order within the due date, the supplier is liable to pay LD of 1% of order value for delay of every week or part thereof subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.
- iii) IIITDM, Kurnool reserves the right to cancel the order in case the delay is more than 04 weeks and the contractor is not eligible for any damage from the Institute and contractor will forfeit his claim for EMD.

Purchaser's right to vary quantities at the time of award

IIITDM Kurnool reserves the right at the time of award of contract to increase or decrease the quantity of items specified in the schedule of requirements without any change in price or other terms and conditions.

Jurisdiction

The disputes, legal matters, court matters, if any, shall be subject to Courts in the district of Kurnool Jurisdiction only.

Force Majeure

- a) IIITDM Kurnool may consider relaxing the penalty and delivery requirements, as specified in this document, if and to the extent that the delay, in performance or other failure to perform its obligations under the contract, is the result of a force majeure.
- b) If the due date of submission of tender / tender opening is declared a holiday for the Institute, the due date for submission of tender / tender will be extended to same time on next working day.

Arbitration

All disputes of any kind arising out of supply, commissioning, acceptance, warranty maintenance etc., shall be referred by either party (IIITDM Kurnool or the bidder) after issuance of 30 days' notice in writing to the other party clearly mentioning the nature of dispute and will be referred to the arbitrator to be nominated by The Registrar I/c, IIITDM Kurnool. The Venue for arbitration shall be Vijayawada, India.

Acceptance of the terms and conditions of tender document

The bidders have to accept all the terms and conditions of this tender document and it is made known that the bidders quoting for this tender had impliedly accepted the terms and conditions of this tender.

Interpretation of the clauses in the Tender Document

In case of any ambiguity / dispute in the interpretation of any of the clause in this tender document, interpretation of The Registrar I/c, IIITDM Kurnool shall be final and binding on all parties. The IIITDM Kurnool reserves the right to accept the offer in full or in parts or reject the offer summarily or partly without assigning any reasons.

**Sd/-
Registrar I/c**

(Annexure - I)

Specifications for Gym Equipments for Institute Gym

| S.No. | Description of the Item | Quantity |
|-------|---|---------------|
| 1 | Treadmill : 5 HP AC continuous (10.0 HP Peak), 24" x 64" running surface, LED Window Display, Running belt is of Siegling Germany, Speed 1-24 kmph, Precise Incline Control from 0 to 20 Levels, 24 Preset and Self Defined Programs, Quick Incline and Quick Speed Buttons, Aseismatic Elastic Running Board for superb shock absorption, Extra Long Handles for comfortable workout, Alloy foot rails, Maximum User Weight : 160-180 kgs, Machine Weight : 200-230 kgs, Length : 7 feet, Width : 3 feet, 2 Inches Height : 5 Feet, 4 Inches | 2 Nos. |
| 2 | Elliptical Trainer : 21 inches natural strides, Resistance levels : 30-32 levels electronically controlled Magnetic Resistance System, adaptor power system, Programs : Manual, Interval, Weight Loss, Target Heart Rate Fit Test, Random, Warm up Cool Down, Drive System : Centre design drive, super silent poly-V belt driven, precision balanced, Flywheel : 14-17 kgs, User Weight : 140-160 kgs, Machine Weight : 110-120 kgs., Length : 6 feet 8 inches, Width : 2 feet 11 Inches, Height : 6 Feet | 2 Nos. |
| 3 | Recumbent : 6" Multi Colour Backlit Display Showing Speed/ RPM, Distance, Time, Calories, Pulse, Current Load/ Wattage, Electro Magnetic Resistance : 1 to 16 Levels, 12 Preset Workout Programs, HRC Programs, User Set Program, 4 User Profiles enables users to enter data such as Sex, Age, Height, Weight etc., Advanced analysis of FAT% and BMI, Book Holder, Smooth Horizontal Seat Adjustment, Thick cushioned back support, Innovative LCD display of wattage and Ideal Hear Rate, Max User Weight : 140-155 kgs, Length : 5 feet 3 inches, Width : 2 feet, Height : 4 Feet 2 inches | 1 Nos. |
| 4 | Upright Bike : 6" Backlit Display showing speed/rpm, Distance, Time, Calories, Pulse, Current, Load/Wattage, Automatic Resistance: 1 to 16 Levels Horizontal Seat Adjustment, 12 preset Workout Programs, 5 User Profiles enables users to enter data such as Sex, Age, Height, Weight, etc. Advanced Analysis of FAT% and BMI. Max User Weight: 140-150kgs. Length : 4 feet 2 inches, Width : 2 feet, Height : 4 Feet 10 inches | 1 Nos. |
| 5 | Air Rower : Heavy and durable frame, Maximum user weight of 225 kgs, Long monorail of 139.7 cm with extra smooth stainless steel surface console/programs: programmable interval functions (work/reset programs), Distance set time registration, LCD display shows time, distance, speed, calorie consumption, power, heart rate, comfort : solid and east to install foot pedals in length and width, foldable design for easy storage and moving, easy to get on and off due to high seat height of over 53 cm, Extra padding for the seat and handles for more comfort., Length : 8 feet 6 inches, Width : 1 feet 9 inches, Height : 3 Feet 4 inches | 1 No. |
| 6 | Cable Cross Over : Smooth machine, Fully commercial, smooth movement, counter balanced. Iron Frame Size Width: 6 inches' x 2 inches, Length: 13 feet, Width: 3 feet, Height: 7 Feet 10 inches. Steel weight stack 200 kg. | 1 No. |
| 7 | Counter Balanced Smith Machine : Smith machine, Fully commercial, smooth movement, counter balanced. Length: 7 feet 5 inches, Width: 4 feet 4 inches, Height: 7 Feet 7 inches. Iron Frame Size Width: 3 inches' x 3 inches. | 1 No. |
| 8 | Lat Pull/Mid Row : Stylish Mesh shroud covers to give the premium look, Digital meter to check repetition count, The eccentric forms the natural force curve of the body over the entire movement, adjustable round cushion positions for different body sizes, balanced arms reduce the starting weight. Different grip options allow varied training. Length : 6 feet, Width : 5 feet, Height : 6 Feet 9 inches. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. | 1 No. |
| 9 | Pec Fly Rear Delt : Stylish Mesh shroud covers to give the premium look, Digital meter to check repetition count, The eccentric forms the natural force curve of the body over the entire movement, adjustable round cushion positions for different body sizes, balanced arms reduce the starting weight. Different grip options allow varied training. Length : 6 feet, Width : 5 feet, Height : 6 Feet 9 inches. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. | 1 No. |
| 10 | Leg Ext Leg Curls : Stylish Mesh shroud covers to give the premium look, Digital meter to check repetition count, The eccentric forms the natural force curve of the body over the entire movement, adjustable round cushion positions for different body sizes, balanced arms reduce the starting weight. Different grip options allow varied training. Length : 5 feet, Width : 3 feet, Height : 5 Feet 1 inches. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. | 1 No. |
| 11 | Chest Press : Stylish Mesh shroud covers to give the premium look, Digital meter to check | 1 No. |

| | | |
|----|--|--------------|
| | repetition count, The eccentric forms the natural force curve of the body over the entire movement, adjustable round cushion positions for different body sizes, balanced arms reduce the starting weight. Different grip options allow varied training. Length : 4 feet, Width : 5 feet 4 inches, Height : 5 Feet 1 inches. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. | |
| 12 | Multi Press: Stylish Mesh shroud covers to give the premium look, Digital meter to check repetition count, The eccentric forms the natural force curve of the body over the entire movement, adjustable round cushion positions for different body sizes, balanced arms reduce the starting weight. Different grip options allow varied training. Length : 6 feet 5 inches, Width : 4 feet 8 inches, Height : 5 Feet 1 inches. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. | 1 No. |
| 13 | Shoulder Press: Stylish Mesh shroud covers to give the premium look, Digital meter to check repetition count, The eccentric forms the natural force curve of the body over the entire movement, adjustable round cushion positions for different body sizes, balanced arms reduce the starting weight. Different grip options allow varied training. Steel weight stack 100 kg. Length : 6 feet 5 inches, Width : 4 feet 8 inches, Height : 5 Feet 1 inches. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. | 1 No. |
| 14 | Assisted Chin Dip: Stylish Mesh shroud covers to give the premium look, Digital meter to check repetition count, The eccentric forms the natural force curve of the body over the entire movement, adjustable round cushion positions for different body sizes, balanced arms reduce the starting weight. Different grip options allow varied training. Steel weight stack 100 kg. Length : 4 feet 4 inches, Width : 4 feet 6 inches, Height : 7 Feet 9 inches. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. | 1 No. |
| 15 | Leg Press: Robust, effective and aesthetically appealing, professional plate loaded line, advanced biomechanics system, Length : 6 feet 2 inches, Width : 4 feet 9 inches, Height : 5 Feet 8 inches. Net weight : 180-185 kgs, Max weight capacity : 290-300 kgs. Iron Frame Size Width : 4.5 inches x 2 inches. Steel weight stack 100 kg. . | 1 No. |
| 16 | Ab Crunch: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. Length: 4 feet 2 inches, width: 2 feet 5 inches , Height : 5 feet . Iron Frame Size Width: 4.5 inches X 2 inches | 1 No. |
| 17 | Inclined bench press: Heavy duty main frame construction. Durable double stitched upholstery. Electrostatically applied power coated finish. Welded steel frame with heavy duty vinyl cushions, comfortable grip handle and wheels to easy re-location. Size: Length: 6 feet 7 inches, Width: 5 feet 6 inches, Height: 4 feet 7 inches. Iron Frame: 4.5 inches X 2 inches. Net Weight : 96 kgs | 1 No. |
| 18 | Flat bench press: Heavy duty main frame construction. Durable double stitched upholstery. Electrostatically applied power coated finish. Welded steel frame with heavy duty vinyl cushions, comfortable grip handle and wheels to easy re-location. Size: Length: 6 feet 7 inches, Width: 5 feet 6 inches, Height: 4 feet 7 inches Frame: 4.5 inches X 2 inches Net Weight : 96 kgs | 1 No. |
| 19 | Decline bench press: Heavy duty main frame construction. Durable double stitched upholstery. Electrostatically applied power coated finish. Welded steel frame with heavy duty vinyl cushions, comfortable grip handle and wheels to easy re-location. Size: Length: 6 feet 7 inches, Width: 5 feet 6 inches, Height: 4 feet 7 inches. Iron Frame: 4.5 inches X 2 inches. Net Weight : 96 kgs | 1 No. |
| 20 | Adjustable bench: Heavy duty main frame construction. Durable double stitched upholstery. Electrostatically applied power coated finish. Welded steel frame with heavy duty vinyl cushions, comfortable grip handle and wheels to easy re-location. Size: Length: 6 feet 7 inches, Width: 5 feet 6 inches, Height: 4 feet 7 inches. Frame: 4.5 inches X 2 inches Net Weight: 96 kgs. | 1 No. |
| 21 | Flat bench: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. Welded steel frame with heavy duty vinyl cushions, comfortable grip handle and wheels to easy re-location. Size: Length: 6 feet 7 inches, Width: 5 feet 6 inches, Height: 4 feet 7 inches. Frame: 4.5 inches X 2 inches. Net Weight: 96 kgs | 1 No. |
| 22 | Preacher curl bench: Heavy duty main frame construction. Durable double stitched upholstery. Electrostatically applied power coated finish. | 1 No. |
| 23 | Utility bench: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. Minimum Net Weight: 40 Kgs | 1 No. |
| 24 | Sissy squat: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. Dimensions: Length: 2 feet 9 inches, Width: 2 feet 4 inches, Height: 3 feet 1 inch. Net weight: 62 Kgs | 1 No. |
| 25 | Hyper extension: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. Dimensions: length: 4 feet 9 inches, breath: 2 feet 3 | 1 No. |

| | inches, height: 1 feet 6 inch. Net weight: 22 Kgs | | | | | | | | | | | | | | | | | | | |
|-------------------|--|-------------------|-------------------|-----------------|----|---|----|-----|---|----|---|------------|---|------------|---|------|---|----|---|--|
| 26 | Forearm Machine: Heavy duty main frame construction. Durable double stitched upholstery. Electrostatically applied power coated finish. | 1 No. | | | | | | | | | | | | | | | | | | |
| 27 | 2 in 1 twister: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. Sitting and standing posture (Each one in number) | 2 Nos. | | | | | | | | | | | | | | | | | | |
| 28 | Plate tree: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. | 1 No. | | | | | | | | | | | | | | | | | | |
| 29 | Dumbbells rack: Heavy duty main frame construction. Durable double stitched upholstery Electrostatically applied power coated finish. Length : 6 Feet, 3 Tire racks | 1 No. | | | | | | | | | | | | | | | | | | |
| 30 | Round Dumbbells: Multiple (8) Total 400 kg (Dumbbells should be of rubber material only) | 52 Nos. | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Dumbbell kg</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>2.5</td> <td>12</td> </tr> <tr> <td>5</td> <td>14</td> </tr> <tr> <td>7.5</td> <td>8</td> </tr> <tr> <td>10</td> <td>6</td> </tr> <tr> <td>12.5</td> <td>6</td> </tr> <tr> <td>15</td> <td>2</td> </tr> <tr> <td>17.5</td> <td>2</td> </tr> <tr> <td>20</td> <td>2</td> </tr> </tbody> </table> | Dumbbell kg | Quantity | 2.5 | 12 | 5 | 14 | 7.5 | 8 | 10 | 6 | 12.5 | 6 | 15 | 2 | 17.5 | 2 | 20 | 2 | |
| Dumbbell kg | Quantity | | | | | | | | | | | | | | | | | | | |
| 2.5 | 12 | | | | | | | | | | | | | | | | | | | |
| 5 | 14 | | | | | | | | | | | | | | | | | | | |
| 7.5 | 8 | | | | | | | | | | | | | | | | | | | |
| 10 | 6 | | | | | | | | | | | | | | | | | | | |
| 12.5 | 6 | | | | | | | | | | | | | | | | | | | |
| 15 | 2 | | | | | | | | | | | | | | | | | | | |
| 17.5 | 2 | | | | | | | | | | | | | | | | | | | |
| 20 | 2 | | | | | | | | | | | | | | | | | | | |
| 31 | Weight plates: Multiple (8) Total 400 kg (Weight plates: Iron claded, rubber coated) | 52 Nos. | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Weight Plate kg</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>2.5</td> <td>12</td> </tr> <tr> <td>5</td> <td>14</td> </tr> <tr> <td>7.5</td> <td>8</td> </tr> <tr> <td>10</td> <td>6</td> </tr> <tr> <td>12.5</td> <td>6</td> </tr> <tr> <td>15</td> <td>2</td> </tr> <tr> <td>17.5</td> <td>2</td> </tr> <tr> <td>20</td> <td>2</td> </tr> </tbody> </table> | Weight Plate kg | Quantity | 2.5 | 12 | 5 | 14 | 7.5 | 8 | 10 | 6 | 12.5 | 6 | 15 | 2 | 17.5 | 2 | 20 | 2 | |
| Weight Plate kg | Quantity | | | | | | | | | | | | | | | | | | | |
| 2.5 | 12 | | | | | | | | | | | | | | | | | | | |
| 5 | 14 | | | | | | | | | | | | | | | | | | | |
| 7.5 | 8 | | | | | | | | | | | | | | | | | | | |
| 10 | 6 | | | | | | | | | | | | | | | | | | | |
| 12.5 | 6 | | | | | | | | | | | | | | | | | | | |
| 15 | 2 | | | | | | | | | | | | | | | | | | | |
| 17.5 | 2 | | | | | | | | | | | | | | | | | | | |
| 20 | 2 | | | | | | | | | | | | | | | | | | | |
| 32 | Rods: | 14 No. | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Rod Length (Feet)</th> <th>Quantity (Pieces)</th> </tr> </thead> <tbody> <tr> <td>7 (Olympic Rod)</td> <td>4</td> </tr> <tr> <td>5</td> <td>2</td> </tr> <tr> <td>4</td> <td>2</td> </tr> <tr> <td>3</td> <td>2</td> </tr> <tr> <td>4 Curl Rod</td> <td>2</td> </tr> <tr> <td>3 Curl Rod</td> <td>2</td> </tr> </tbody> </table> | Rod Length (Feet) | Quantity (Pieces) | 7 (Olympic Rod) | 4 | 5 | 2 | 4 | 2 | 3 | 2 | 4 Curl Rod | 2 | 3 Curl Rod | 2 | | | | | |
| Rod Length (Feet) | Quantity (Pieces) | | | | | | | | | | | | | | | | | | | |
| 7 (Olympic Rod) | 4 | | | | | | | | | | | | | | | | | | | |
| 5 | 2 | | | | | | | | | | | | | | | | | | | |
| 4 | 2 | | | | | | | | | | | | | | | | | | | |
| 3 | 2 | | | | | | | | | | | | | | | | | | | |
| 4 Curl Rod | 2 | | | | | | | | | | | | | | | | | | | |
| 3 Curl Rod | 2 | | | | | | | | | | | | | | | | | | | |
| 33 | Punching bag: Super leather, thick leather canvas. Height : 120 cm | 1 No. | | | | | | | | | | | | | | | | | | |
| 34 | Boxing gloves (2 Pairs) | 2 Nos. | | | | | | | | | | | | | | | | | | |
| 35 | Exercise Tier: Approximately 100 kgs | 1 No. | | | | | | | | | | | | | | | | | | |
| 36 | Hammer | 1 No. | | | | | | | | | | | | | | | | | | |
| 37 | Sled: Heavy duty metal construction, completely collapsible for flat packaging | 1 No. | | | | | | | | | | | | | | | | | | |
| 38 | Rope: Nylon 50 feet | 1 No. | | | | | | | | | | | | | | | | | | |
| 39 | Gym ball: 85 cms | 2 No. | | | | | | | | | | | | | | | | | | |
| 40 | Yoga mat: PU Leather yoga mat. 2 cms thick, length : 24 X 72 inches | 6 No. | | | | | | | | | | | | | | | | | | |
| 41 | Aerobic step board: Medium. | 2 No. | | | | | | | | | | | | | | | | | | |
| 42 | Kettle bells: Multiple (6) Total 100 kg. | 16 Nos. | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Weight Kettle kg</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>7</td> </tr> <tr> <td>6</td> <td>4</td> </tr> </tbody> </table> | Weight Kettle kg | Quantity | 4 | 7 | 6 | 4 | | | | | | | | | | | | | |
| Weight Kettle kg | Quantity | | | | | | | | | | | | | | | | | | | |
| 4 | 7 | | | | | | | | | | | | | | | | | | | |
| 6 | 4 | | | | | | | | | | | | | | | | | | | |

| | | | |
|----|---|---|---------------|
| | 8 | 2 | |
| | 10 | 2 | |
| | 12 | 1 | |
| 43 | Ab wheel: | | 1 No. |
| 44 | High Cones: Pack of 10 | | 1 No. |
| 45 | Ladder: Exercise ladder. | | 1 No. |
| 46 | Latex band: Stretching and Rehabilitation. Increase agility and speed, Each set (1 No.) should consist of following size bands: 20mm x 3mm; 15mmx2mm; 25mmx4.8mm;45x4.8mm (All 104 cm round) | | 2 Nos. |
| 47 | Skipping rope: Adults : Steel guage wire | | 4 Nos. |
| 48 | Weight lifting belt: Medium - 2; Large - 2 | | 4 Nos. |
| 49 | Sticks: 5 feet | | 5 Nos. |
| 50 | V-press down: Triceps press down bar. Triceps bar | | 1 No. |

Specifications for Rubber Flooring/Mirrors/Toughened Glass for Institute Gym

| S.No. | Description of the Item | Quantity | | | | | | | | | | | | | | | | | | | | | |
|--------|--|-----------------|------|---------------|---|-------------------------------|---|----|--------------------------------|---|-----|-------------------------------|---|----|--------------------------------|---|---|-------------------------------|---|----|-------------------------------|---|----------------|
| 1 | Rubber Flooring - Length : 500 mm; Width : 500 mm; Thickness : 20 mm; Moulded Mat (High quality rubber tiles) Total area : 2500 sqft. | Multiple | | | | | | | | | | | | | | | | | | | | | |
| 2 | <p>Mirrors: Edges should be manually beveled with sheer craftsmanship and polished with premium quality cerium (IV) oxide. High durability is to be ensured, sturdy and removal or placement of wall should be provided as an option. The following mirror dimensions need to be fixed and installed along the wall of the room, and each of them should be of 5 mm thickness:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>Size</th> <th>No. of pieces</th> </tr> </thead> <tbody> <tr> <td>I</td> <td>Length : 4feet; Width : 6feet</td> <td>1</td> </tr> <tr> <td>II</td> <td>Length : 4feet; Width : 16feet</td> <td>1</td> </tr> <tr> <td>III</td> <td>Length : 4feet; Width : 8feet</td> <td>1</td> </tr> <tr> <td>IV</td> <td>Length : 4feet; Width : 20feet</td> <td>2</td> </tr> <tr> <td>V</td> <td>Length : 4feet; Width : 9feet</td> <td>1</td> </tr> <tr> <td>VI</td> <td>Length : 6feet; Width : 3feet</td> <td>6</td> </tr> </tbody> </table> | Number | Size | No. of pieces | I | Length : 4feet; Width : 6feet | 1 | II | Length : 4feet; Width : 16feet | 1 | III | Length : 4feet; Width : 8feet | 1 | IV | Length : 4feet; Width : 20feet | 2 | V | Length : 4feet; Width : 9feet | 1 | VI | Length : 6feet; Width : 3feet | 6 | 12 Nos. |
| Number | Size | No. of pieces | | | | | | | | | | | | | | | | | | | | | |
| I | Length : 4feet; Width : 6feet | 1 | | | | | | | | | | | | | | | | | | | | | |
| II | Length : 4feet; Width : 16feet | 1 | | | | | | | | | | | | | | | | | | | | | |
| III | Length : 4feet; Width : 8feet | 1 | | | | | | | | | | | | | | | | | | | | | |
| IV | Length : 4feet; Width : 20feet | 2 | | | | | | | | | | | | | | | | | | | | | |
| V | Length : 4feet; Width : 9feet | 1 | | | | | | | | | | | | | | | | | | | | | |
| VI | Length : 6feet; Width : 3feet | 6 | | | | | | | | | | | | | | | | | | | | | |
| 3 | Toughened glass: Complete toughened glass to be availed (Withstand a temperature of 200°C), of 12 mm thickness for the entrance. Length : 38feet, Height: 6feet 10inches, There should be a provision of two doors handles (2), stopper (2) (Complete set inbuilt). | Multiple | | | | | | | | | | | | | | | | | | | | | |
| 4 | Wooden provision: Complete wooden concealment of pipes and wires without affecting the parent structure present (No modifications allowed), in the area allocated for Institute fitness centre. Approx area of interest: 500 sqft. | Multiple | | | | | | | | | | | | | | | | | | | | | |
| 5 | Wall mounted wave fans: Sweeps 350-420 mm,; Speed (RPM) 1100-1300; Air delivery 50-65 cumtr/min; Watt 40-60 Watts; ABS Plastic body and blades; pull chords for speed regulation and wide oscillation control; Item dimension : 45.5x18.8x46 centrimeter | 10 Nos. | | | | | | | | | | | | | | | | | | | | | |

Signature and Stamp of bidder

Manufacturer's Authorization Form

To

Director
 IIITDM KURNOOL
 JAGANNATHAGATTU,
 DINNEDEVARAPADU VILLAGE,
 ANDHRAPRADESH

Ref: Bid Reference No.: **IIITDMK/S&P/2020-21/Sept./Institute Fitness Centre/01** **Dated. 21st September 2020**

We,, who are proven and reputable Manufacturer/exclusive distributors of (Name and description of the goods offered in the Bid) having factories/office at hereby authorize M/s (name and address of the agent) to submit a Bid, against your requirement as contained in the above referred Bidding Documents for the above goods manufactured/ distributed by us.

We further confirm that no supplier or firm or individual other than M/s.(name and address of the above agent) is authorized to submit a Bid, against your requirement as contained in the above referred Bidding Documents for the above goods manufactured by us.

We also hereby extend our full warranty of _____ from acceptance of goods by Purchaser as per Clause 8 of General Terms & Conditions. We further confirm that we shall continue to supply spare parts, software up- gradation for 03 years after guarantee/warranty.

Yours faithfully,

[Signature with date,
 name and
 designation]

For and on behalf of
 M/s.

[Name & address of
 the manufacturers].

Note: 1. This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.

FINANCIAL BID
(To be put in the marked envelope "Financial Bid")

Bid Reference No.: IIITDMK/S&P//2020-21/Sept./Institute Fitness Centre/01 Dated: 21st September 2020

Bidder Name & Address:.....

| S. No | Description of the item | Qty. | (A) Unit Price per Item | (B) GST (In Rs.), if applicable | (C)Freight/F.O.R/ transport/delivery & all other charges (In Rs.), If applicable | (A+B+C) Offered Price (In Rs.) |
|-------|-------------------------|------|-------------------------|---------------------------------|--|--------------------------------|
| 1 | Treadmill | 2 | | | | |
| 2 | Elliptical Trainer | 2 | | | | |
| 3 | Pec Fly Rear Delt | 1 | | | | |
| | | | | | | |
| | | | | | | |

COMMERCIAL TERMS

1. We hereby undertake that no extra charges on any account will be claimed except as mentioned above.
2. We hereby undertake to strictly abide by the Commercial and other terms laid down in the Tender.

(AUTHORIZED SIGNATORY]
NAME IN BLOCK LETTERS
SEAL OF THE TENDERER