



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4551199
Dated/दिनांक : 02-02-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	14-02-2024 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	14-02-2024 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of Higher Education
Organisation Name/संगठन का नाम	Indian Institute Of Information Technology (iiit)
Office Name/कार्यालय का नाम	Kurnool
Total Quantity/कुल मात्रा	1
Item Category/मद केटेगरी	Server (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	20 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	40 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes

Bid Details/बिड विवरण	
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	12000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	38

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

DIRECTOR IIITDM KURNOOL
IIITDM Kurnool, Jagannathagattu, kurnool Andhra Pradesh, 518008
(DvIn Somayajulu)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered

Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Server (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Bis Required	Yes
--------------	-----

Technical Specifications/तकनीकी विशिष्टियाँ

* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Architecture	CISC(X86), RISC, EPIC Or higher
	Processor Make	Intel
	Number of Cores per Processor	16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 48, 44, 52, 56, 60, 84, 96, 112, 128 Or higher
	Processor Base Frequency (GHz)	2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 2.95, 3.25, 3.55, 3.85, 4.05, 4.1 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Processor Description/ Number	Intel Xeon Platinum 9242, Intel Xeon Platinum 9282, Intel Xeon Gold 6238R, Intel Xeon Gold 6248R, Intel Xeon Gold 6258R, Intel Xeon Platinum 9221, Intel Xeon Platinum 9222, Intel Xeon Platinum 8380HL, Intel Xeon Platinum 8380H, Intel Xeon Platinum 8376HL, Intel Xeon Platinum 8376H, Intel Xeon Platinum 8360HL, Intel Xeon Platinum 8360H, Intel Xeon Platinum 8354H, Intel Xeon Gold 6348H, Intel Xeon Gold 6330H, Intel Xeon Gold 5320H, Intel Xeon Gold 6328HL, Intel Xeon Gold 6328H, Intel Xeon Platinum 8353H, Intel Xeon Gold 5318H, Intel Xeon Platinum 8356H, Intel Xeon Platinum 8368Q, Intel Xeon Platinum 8380, Intel Xeon Platinum 8368, Intel Xeon Platinum 8360Y, Intel Xeon Platinum 8358, Intel Xeon Platinum 8358P, Intel Xeon Platinum 8352Y, Intel Xeon Platinum 8352V, Intel Xeon Platinum 8352S, Intel Xeon Gold 6348, Intel Xeon Gold 6338, Intel Xeon Gold 6338N, Intel Xeon Gold 6342, Intel Xeon Gold 6330, Intel Xeon Gold 5320, Intel Xeon Gold 6330N, Intel Xeon Gold 6354, Intel Xeon Gold 6346, Intel Xeon Platinum 8362, Intel Xeon Platinum 8352M, Intel Xeon Gold 5318S, Intel Xeon Gold 5318Y, Intel Xeon Gold 6338T, Intel Xeon Gold 5318N, Intel Xeon Silver 4314, Intel Xeon Silver 4310T, 1S Intel Xeon Gold 6210U (27.5M Cache, 20C, 2.5GHz/3.2GHz) 150W, 1S Intel Xeon Gold 6209U (27.5M Cache, 20C, 2.1GHz/2.8GHz) 125W, Intel Xeon Gold 5315Y, Intel Xeon Gold 5317, Intel Xeon Gold 6326, Intel Xeon Gold 6326, Intel Xeon Silver 4316, Intel Xeon Gold 5320T, Intel Xeon Gold 5318N, Intel Xeon Gold 5318Y, Intel Xeon Platinum 8352M, Intel Xeon Platinum 8362, Intel Xeon Platinum 8490H, Intel Xeon Platinum 8480+, Intel Xeon Platinum 8470, Intel Xeon Platinum 8468, Intel Xeon Platinum 8470Q, Intel Xeon Platinum 8468H, Intel Xeon Platinum 8470N, Intel Xeon Platinum 8468V, Intel Xeon Platinum 8458P, Intel Xeon MAX 9480, Intel Xeon MAX 9470, Intel Xeon Platinum 8460H, Intel Xeon MAX 9468, Intel Xeon Platinum 8460Y+, Intel Xeon Gold 6458Q, Intel Xeon MAX 9460, Intel Xeon Platinum 8462Y+, Intel Xeon Gold 6448H, Intel Xeon MAX 9462, Intel Xeon Gold 6448Y, Intel Xeon Gold 6454S, Intel Xeon Platinum 8454H, Intel Xeon Gold 6438Y+, Intel Xeon Gold 6438M, Intel Xeon Gold 6438N, Intel Xeon Gold 6430, Intel Xeon Gold 6442Y, Intel Xeon Gold 6428N, Intel Xeon Platinum 8450H, Intel Xeon Gold 5420+, Intel Xeon Gold 6418H, Intel Xeon Gold 5418Y, Intel Xeon Gold 6444Y, Intel Xeon Gold 5418N, Intel Xeon Silver 4416+, Intel Xeon Gold 6416H, Intel Xeon Platinum 8444H, Intel Xeon Gold 6426Y, Intel Xeon Gold 5416S Or higher
Chassis	Form Factor	Rack, Tower Or higher
	Size (RU)	2
Motherboard	Expansion Slots Gen 3 (PCIe x1)	0, 1, 2, 3, 4, 5, 6 Or higher
	Expansion Slots Gen 3 (PCIe x4)	0, 1, 2, 3, 4, 5 Or higher
	Expansion Slots Gen 3 (PCIe x8)	6, 7, 8, 9, 10 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Expansion Slots Gen 3 (PCIe x16)	2
	Maximum number of Sockets available on Server	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher
	If Yes, Maximum Number of Slots available for Co-Processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	If Yes, Maximum Number of slots populated with Co processor/GPU	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 8 Or higher
	If Yes, Co Processor /GPU Description	NVIDIA Tesla P4 8GB, NVIDIA Tesla P40 24GB, NVIDIA Tesla V100 PCI-E 16GB, NVIDIA Tesla V100 SXM2 16GB, NVIDIA Tesla V100 PCI-E 32GB, NVIDIA Tesla V100 SXM2 32GB, NA, NVIDIA(R) Tesla(TM) T4 16GB, NVIDIA Tesla M10 Quad GPU Module, NVIDIA Quadro P6000 Graphics Accelerator, NVIDIA Quadro P4000 Graphics Accelerator, NVIDIA Tesla P40 24GB Computational Accelerator, NVIDIA Quadro RTX 6000 Graphics Accelerator, NVIDIA Tesla T4 16GB Computational Accelerator, NVIDIA Quadro RTX 4000 Graphics Accelerator, NVIDIA Quadro RTX 8000 Graphics Accelerator, NVIDIA Quadro P2200 Graphics Accelerator, NVIDIA Tesla V100S 32GB Computational Accelerator, NVIDIA Quadro RTX 5000 16GB Graphics Accelerator, NVIDIA Tesla A100 40GB PCIe based Accelerator, NVIDIA Tesla A100 40GB NVlink based Accelerator Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC
	DDR SDRAM Size(GB)	32.0 - 6144.0 Or higher
	DDR NVRAM Size (GB)	0.0 - 1600.0 Or higher
SSD Storage	Type of Interface for SSD	NA
	Type of SATA SSD	NA
	SATA SSD Hot Swappable	Yes, No, NA Or higher
	Capacity offered per SATA SSD (GB)	0
	Total Capacity Offered with SATA SSD (GB)	0.0 Or higher
	Type of SAS SSD	NA
	SAS SSD Hot Swappable	Yes, No, NA Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Capacity Offered per SAS SSD (GB)	0.0 Or higher
	Total Capacity Offered with SAS SSD (GB)	0.0 Or higher
	Type of NVMe SSD	NA
	NVMe SSD Hot Swappable	Yes, No, NA Or higher
	Capacity Offered per NVMe SSD (GB)	0
	Total Capacity Offered with NVMe SSD (GB)	0.0 Or higher
HDD Storage	Type of Interface for Hard Disk Drive	SAS
	Capacity offered per SATA Drive (GB)	0
	SATA drive speed (hot plug or better) (RPM)	NA
	Total Storage Capacity offered with SATA Drive (GB)	0.0 Or higher
	Capacity offered per SAS Drive (GB)	4000
	SAS drive Speed (Hot plug or better) (RPM)	7200
	Total Storage Capacity offered with SAS Drive (GB)	8000.0 Or higher
	Capacity offered per NL SAS Drive	0
	NL SAS drive speed (hot plug or better) (RPM)	NA
	Total Storage Capacity offered with NL SAS Drive (GB)	0.0 Or higher
RAID	RAID level	5, 6, 1+0, 5+0, 0
	No of RAID Controller Ports	8 Or higher
	Speed of RAID Controller Ports (Gbps)	12 Or higher
	RAID Controller Cache (GB)	8 Or higher
Ports & Interfaces	Network Card Supported	1G, 10G, 25G
	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8 Or higher
	Whether Network Interface Card Embedded	Yes Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Total Number of Ethernet Ports required in Server	2x1G, 4x1G
	Networking Interface Card Features	NA
	Server Network Ports should Support SR-IOV Feature	Yes, No Or higher
	Server network ports should support DPDK and it should deliver zero packet loss as per RFC 2544 and deliver 100% line rate for all the packet sizes over 64 Bytes, Vendor to submit latest DPDK test report for the same	Yes, No Or higher
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Dual port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	vHBA Card Features Supported	Yes, No Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher
	Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher
	Length of Twinax Breakout Cables per Port (meter)	5, 10, 15, 0 Or higher
	Video Controller (support VGA or above resolution)	Yes Or higher
	Keyboard Port	Yes, No Or higher
	Mouse Port	Yes, No Or higher
	DVD ROM (Internal/Exrternal)	Yes, No Or higher
	USB Ports (version 2point0/3point0)	4, 5, 6, 7, 8, 9, 10 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Total number of Spare Bays Available for Future Upgradation (Internal)	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 Or higher
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux, Ubuntu, Cent OS, Debian
	Certification/Compliance (Virtualization/Cloud Platform)	VM ware, HyperV, Oracle Virtualization, Red Hat Virtualization, OpenStack
Features	Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites., Automated infrastructure management for patch upgrades, version upgrades ,etc., Simplified management with analytics driven actionable intelligence., System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user-assigned attributes, Hardware Profile based deployment to multiple Servers simultaneously, Policy template for deployment of single policy to multiple Servers simultaneously, Platfrom inventory and helath status, Server utilization statistics collection (including firmware updates and diagnostic tools), Should provide an alert in case the system is not part of OEM hardware complatibilty test, Solution should be open and programmable providing Rest API, SDK for programming lanugaes like Python , power shell scripts etc., Should have customizable dashboard to show overall faults/health/inventory for all managed infrastructure the solution should provide option to create unique dashboards for individual users.the user should be flexibility to select name for dshasboards and widgets (viz. health, utilization etc), Single pane of glass for auto Provisioning across Multi vendor & multi hypervisor platform, Self service portal deployment for automated provisioning, Real-time out-of-band hardware performance monitoring & alerting
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)
	Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hypervisor/ Operating System on predefined security breach, Secure /Automatic BIOS recovery, Network Card secure firmware boot, In case of any security breach system should provide the lock down feature

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Server scalability to be achieved within the box & without adding nodes	Yes Or higher
	support for high availability clustering and virtualization	Yes Or higher
Generic	Redundant Power Supply	Yes Or higher
	Hot Swappable (Redundant Power Supply)	Yes Or higher
	Power Supply Efficiency	Platinum, Titanium, Bronze Or higher
	Redundant Fan	Yes Or higher
	Hot Swappable (Redundant Fan)	Yes Or higher
	Server Main Supply	230 +/- 10%Vac
Miscellaneous	BIS Registration under CRS of MeitY	Yes
	Availability of the type test report from Central Government / NABL / ILAC accredited laboratory covering verification of all features & functional parameters & environmental tests sequence	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Pandiyarajan Thangaraj	518002,Jagannathagattu Dindevarapadu Kurnool ANDHRA PRADESH	1	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Warranty Minimum 3 years

2. The bidder must have mandatorily supplied minimum two similar High performance clusters/ servers to any Govt. Organization in the past two years and must submit proof of supply (including copies PO, successful Installation certificate, satisfactory performance report and details of contact person from buyer along with the bid.

3. Bidders must submit valid authorization certificate from the OEM of the product being quoted by them.

4. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. **Generic**

IT equipment shall be IPv6 ready from day one.

7. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

8. **Generic**

Non return of Hard Disk: As per Buyer organization's Security Policy, Faulty Hard Disk of Servers/Desktop Computers/ Laptops etc. will not be returned back to the OEM/supplier against warranty replacement.

9. **Generic**

Scope of supply includes Training: Number of employees to be trained

2

, Place for Training

IIITDM Kurnool

and Duration of training

1

days.

10. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

11. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

12. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---